



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/552,713	10/07/2005	Risa Nishihara	8076-1001	6806		
466	7590	09/03/2008	EXAMINER			
YOUNG & THOMPSON 209 Madison Street Suite 500 ALEXANDRIA, VA 22314				STEPHENS, JACQUELINE F		
ART UNIT		PAPER NUMBER				
3761						
MAIL DATE		DELIVERY MODE				
09/03/2008		PAPER				

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/552,713	NISHIHARA, RISA	
	<b>Examiner</b>	<b>Art Unit</b>	
	Jacqueline F. Stephens	3761	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

1) Responsive to communication(s) filed on 14 May 2008.

2a) This action is **FINAL**.                    2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

4) Claim(s) 45-92 is/are pending in the application.

4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

5) Claim(s) \_\_\_\_\_ is/are allowed.

6) Claim(s) 45-92 is/are rejected.

7) Claim(s) \_\_\_\_\_ is/are objected to.

8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All    b) Some \* c) None of:

1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) Notice of References Cited (PTO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.

4) Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.

5) Notice of Informal Patent Application

6) Other: \_\_\_\_\_.

## DETAILED ACTION

### ***Response to Arguments***

1. Applicant's arguments filed 5/14/08 have been fully considered but they are not persuasive. Applicant argues Nishihara does not teach a sealing device or cotton plugs. The examiner has relied on the combination of Nishihara JP 2002275001, Nishihara JP 2003111830, and Kitajima JP 8133901 to teach a sealing device or cotton plugs. Applicant has not presented further arguments regarding the teaching of this limitation.
2. Applicant argues none of the aforementioned references provides a color identification mark for identifying a syringe as one for corpse treatment. Applicant further argues the color identification mark provides a technical function i.e. preventing misuse by identifying the syringe for corpse treatment. However, Applicant has not provided or claimed any structure that would prevent any other syringe from being used for corpse treatment. Therefore, the examiner maintains the color identification mark is an ornamental feature. The above arguments additionally apply to new claims 91 and 92I.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 45-92, as best understood by the examiner, are rejected under 35 U.S.C. 103(a) as being unpatentable over Nishihara JP 2002275001 in view of Nishihara JP2003111830 and further in view of Kitajima JP 8133901.

. Nishihara discloses a device and method for preventing humoral ooze comprising a syringe 1 having a piston 1a, inserting tube 4,7, covering member 5, and a jelly substance 8. Nishihara does not disclose the syringe has an identification mark. However, matters relating to ornamentation only, which have not mechanical function cannot be relied upon to patentably distinguish the claimed invention from the prior art, *In re Seid*, 161 F.2d 229, 73 USPQ 431 (CCPA 1947). See MPEP 2144.04 I.

Nishihara '001 does not disclose a body fluid sealing member and cotton substance as claimed. Nishihara JP 2003111830 discloses a sealing device for preventing the leakage of rectal waste from the anus due to the relaxation of the sphincter caused by death. One having ordinary skill in the art would have been motivated by the teaching of Nishihara '830 to provide the invention of Nishihara '001 with a sealing device for preventing leakage of rectal waste. The sealing device of Nishihara '830 comprises a molding 2 of highly water-absorbing fibers, a water-soluble sheet 3 covering the outer periphery of the molding 2, and a lubricant 4 covering the water-soluble sheet 3.

Nishihara '001/'830 does not disclose a cotton substance. Kitajima JP 8133901 teaches a method of preventing leakage involving inserting a jelly into the inner part of the nasal cavity and ears and plugging the outer part of the cavities with medical cotton.

It would have been obvious to one having ordinary skill in the art to provide the invention of Nishihara '001/'830 with a cotton substance. Doing so would provide a means for plugging the cavity to assist with preventing leakage of bleeding and offensive odor to the outside.

Nishihara '001/'830/Kitajima shows a cotton sealing member for a mouth, ear, and nose plugs in Figures 1 and 2. The limitations directed to the cotton plug preventing leakage of saliva or adjusting a shape of both cheeks is directed to an intended use of the article. Regarding the limitations of adapted to and traversing the gluteal fold, these limitations are directed to an intended use of the article. Intended use must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). If the prior art structure is capable of performing the intended use, then it meets the claim limitations.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

3.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F. Stephens whose telephone number is (571) 272-4937. The examiner can normally be reached on Monday-Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jacqueline F Stephens/

Primary Examiner, Art Unit 3761